USER INSTRUCTIONS

PATRE






## CONTENTS



## **PRODUCT OVERVIEW**

Developed as a solution for the DDD's standard issue M68 CCO, the FAST<sup>™</sup> Comp Series is a drop-in replacement for all full-size Aimpoint® Comp series and PRO optics. It comes standard with a two cross bolt rail clamp or can be retrofitted with the FAST<sup>™</sup>OD Lever and works with all FAST<sup>™</sup> FTC magnifier mounts.




## WARNING: ENSURE FIREARM IS UNLOADED

OVER-TORQUING FASTENERS CAN DAMAGE YOUR MOUNT AND/OR YOUR OPTIC AND WILL VOID YOUR Warranty. Using thread locking compounds, such as loctite® or others, is not recommended and will void your warranty.

Ζ

Using the UNITY<sup>™</sup> supplied Optic Mounting Screws, install the optic to the mount using a T25 bit driver. Lightly snug both screws before applying final torque to any. **Do not exceed manufacturer's recommended torque spec.** 


Place the FAST<sup>™</sup> Comp Series mount on the M1913 Rail in desired location. If using the included Rail Clamp, move to step 3. If using the optional FAST<sup>™</sup> 0D Lever (sold separately), jump to step 4.




3

Insert each Clamp Screw through a Washer. Then insert them through the FAST™ Comp Series mount and thread them into the Rail Clamp. Secure screws using a T25 bit driver. Lightly snug all screws before applying final torque to any. **Torque to 35 in-lbs (4 Nm).** 









## INFO@UNITYTACTICAL.COM

©2025 UNITY Tactical. All Rights Reserved. Specifications subject to change without notice. PAT: UTIP.CO



